

SharePoint Editor Manual



imagevault

ImageVault for SharePoint

Version 1.0

Copyright

This manual is protected by international copyright law. No changes of content or reproduction of parts of this publication are allowed without permission from the publisher.

Contents

1.	Introduction	5
1.1.	Prerequisites	5
1.2.	Manual conventions	5
1.3.	Manual instructions	5
1.4.	Relation to other manuals	5
1.5.	Basic.....	6
2.	Start	7
2.1.	ImageVault functionality	7
2.1.1.	Vaults	7
2.1.2.	Categories.....	7
2.1.3.	Metadata.....	7
	Starting mode	8
2.2.	3. Insert media files from ImageVault	9
3.1.	SharePoint text editor.....	9
3.1.1.	Image editor	11
4.	SharePoint web parts.....	13
4.1.	ImageVaultMedia.....	13
4.2.	ImageVault Gallery	15
4.2.1.	Chose files manually	16
4.2.2.	Chose files via filter	17
	ImageVault Slideshow	19
5.	Define webpart	20
6.1.	6. ImageVault interface.....	21
	Interface overview.....	21
6.1.1.	Categories.....	22
6.1.2.	Vault selection	23
7.1.	6.1.3. File preview	24
7.2.	6.1.4. File information and metadata.....	24
7.	Importing files.....	26
7.3.	Upload.....	26
	Organizing files.....	28
8.1.	7.2.1. Altering file information.....	30
	7.2.2. Move a file to a new vault	30
	File deletion	31
8.	Search	32
	Free text search.....	32

	Category search.....	32
	Search scope.....	33
9.	File download	34
	Download & conversion	34
8.2.	10. Share files	35
8.3.	Create share.....	35
9.1.	View shared files.....	36
	Managing shared files	37
10.1.	Remove share.....	39
10.2.	11. Batch operations	40
10.3.	Adding files to a batch	40
	Organize files.....	41
11.1.	Move files	41
11.2.	Clear batch	42
11.3.	11.4.1. Download files	42
11.4.		
12.	Advanced settings.....	43
12.1.	Global rights	44
12.2.	Metadata definitions	45
12.2.1.	Add mapping	46
12.3.	Media formats	47
12.4.	Categories	50
12.4.1.	Rename or delete a category	50
12.4.2.	Add main or sub level category	51
12.4.3.	Add a category from the main user interface.....	51
13.1.	13. Vault administration	53
13.2.	Add vault	53
	Modify Vault.....	55
15.1.	14. Signing out from ImageVault.....	57
15.2.	15. Video	58
	Upload video	58
	Video editor.....	59

I. Introduction

Welcome!

ImageVault is a web based file repository, which simplifies handling and storing of media files. The basic function of ImageVault is to store files on a central server, so everyone in an organisation can access, and use the files. ImageVault has sofisticated search and categorization of files which greatly simplifies finding and using media files. ImageVault could complement or replaces the built in image function in SharePoint.

Prerequisites

I.1. ImageVault is based on common web standards and is very intuitive and easy to use. Basic internet browser skills are recommended. SharePoint page editing skills and basic page administration is needed.

Manual conventions

I.2. Certain typographic conventions are used in this manual.
Running text is presented in the Gill Sans font. Notes, tips and warnings are presented in bold.

Note! A note highlights important information.

Tip! A tip contains an advice or an easier way to do something.

Warning! A warning highlights that a problem that might occur and how to avoid it.

I.3. Manual instructions

The manual has the following recommended reading order:

Chapter 2-5 will describe how to us ImageVault when purpose only is to collect and publish items.

Chapter 6-11 will describe the most common processes in ImageVault, like file upload, file insert, download and batch operations. More advanced users can continue to read chapter 12-14 which contain information about administrative tasks.

I.4.

Relation to other manuals

This manual, *ImageVault: Editor manual*, is aimed towards an editor in SharePoint. The *ImageVault: User manual* is aimed towards users of the standalone version. Documentation aimed towards installation and development is only available online. The online documentation for ImageVault can be found online at <http://www.imagevault.se>.

Basic

Stand alone or CMS

ImageVault can be used either as a stand-alone program or in conjunction with a CMS solution like SharePoint.

1.5.

Extensive API

ImageVault functionality can easily be extended by third party plug-ins.

Refer to <http://www.imagevault.se> for up to date information about news, upgrades and plug-in availability.

2. Start

To be able to use ImageVault in SharePoint an account with editing permissions is needed. Basic knowledge of page creation and editing in SharePoint is also needed.

ImageVault functionality

ImageVault acts as a central repository for files. All editors have access to this repository during page creation and editing. It also helps the editors to build a structured environment for the files with storage vaults, metadata and category tagging to facilitate easy search and access.

The files only needs to be stored once and are linked to each page where they are used. ImageVault also helps in maintaining site rules, since several standard media formats can be easily set up. Images taken straight of a high resolution digital camera can be used and image conversion and size altering are applied to convert the image to a format that complies with the page layout and site rules.

ImageVault helps file categorization by allowing users to add properties to the uploaded files. This is metadata in the form of categories and metadata fields which makes it much easier for other users to find and use the uploaded files. User access is controlled by vaults.

Below follows a short explanation of some of the key features in ImageVault.

2.1.1. Vaults

A vault is a storage area in ImageVault, with user rights similar to a file folder. Different types of user access control can be added to a vault, i.e to prevent accidental deletion of files or simply to restrict access to certain files. A vault cannot have sub levels. Different metadata definitions can be tailored for each vault.

2.1.2. Categories

Categories are predefined file properties that will facilitate easier search for files. The number of categories is unlimited, but a limited number should be added or created during setup. Sub categories can be added, but a maximum of 2 levels below the top level.


2.1.3. Metadata

Metadata are additional information fields that can be added to files. This can for example be the name of the photographer or an additional description of the file. Metadata can also be information stored in a file like ITPC or EXIF data.


Starting mode

Editing Mode in SharePoint is used to create and edit pages. Image Vault is available during editing. Access to ImageVault via edit mode is described in chapter 3 and 4 below.

2.2. It is also possible to access ImageVault via Settings → Site contents:



The screenshot shows the SharePoint 'Site Contents' page. A callout bubble labeled 'Choose ImageVault' points to the 'ImageVault Connect' app icon. The page includes sections for 'Lists, Libraries, and other Apps' and 'Site Pages'. The 'ImageVault Connect' app is listed under 'Site Workflows'.



The screenshot shows the 'Information Configuration' page of ImageVault Connect for SharePoint. It features a header with 'Return to SharePoint', 'Information', and 'Configuration' tabs. The main content area is titled 'Welcome to ImageVault Connect for SharePoint' and includes a sub-section 'ImageVault UI' with a 'Open UI' button. Below this are sections for 'App usage' (with a bulleted list) and 'About' (with a bullet point for version). At the bottom, a note states: 'The user interface is described more thoroughly in chapter 6 "ImageVault interface".'

Welcome to ImageVault Connect for SharePoint

Visit the configuration page as an administrator to set up ImageVault settings.

ImageVault UI

Visit the ImageVault UI to upload and manage your images.

Open UI Chose Open UI

App usage

- Add AppParts to your pages.
- Modify AppPart settings and select a datasource from ImageVault.

About

- Version: 0.0.40.0

The user interface is described more thoroughly in chapter 6 “ImageVault interface”.


3. Insert media files from ImageVault

ImageVault is integrated in SharePoint and used as complement or replaces the ordinary SharePoint image handling function. Image Vault also offers several new web parts for display of images.


ImageVault can be used to publish media files in either a normal text editor field or the web parts ImageVault Image, ImageVault Gallery and ImageVault Slideshow. The method for adding or modifying the media files will however be the identical to the description below.

SharePoint text editor

3.1. The text editor field is a common text field which can hold both text and images. Access ImageVault Media in the toolbar and then press Open ImageVault.



This will open the ImageVault user interface.



ImageVault user interface

The user interface is described more thoroughly in chapter 6 “ImageVault interface”.

Select an media file and press the button **Insert**. The system will present the user with a number of predefined media formats. A media format can be setup to both resize an image and also to convert the image file format.




Image conversion formats

The image will be placed on the page. The image size can be altered after the insert. Use the image editor described in the next section.


Note! Avoid resizing the image using the image resize handles within the text field. This might distort the image and will not alter the image size. Use the ImageVault image editor instead.

3.1.1. Image editor

The image editor can be started by selecting an inserted image and pressing the edit button  found in the tool bar in Tab Image.



Edit an ImageVault Media



When the editor is opened, the image is shown zoomed- and cropped according to previous operations (if any).

Use the zoom slider to zoom in or out. It is also possible to use the mouse scrollwheel to zoom.

Move the image around by clicking and moving the mouse. The image can be adjusted on a pixel by pixel basis using the arrow keys to pan up/down or left/right, if precise adjustment is needed.

The width and height can be modified either by using the size settings fields.

When the aspect ratio of the crop area is unlocked, you may modify the crop area by dragging the resize handles.

Press the **Ok** button to commit the change or **Cancel** to abort. The top right x will also abort the edit.



4. SharePoint web parts

Image Vault adds three new types of web parts; ImageVaultMedia, ImageVault Gallery and ImageVault Slideshow.

ImageVaultMedia

The ImageVault Media is an SharePoint web part that can be added to a page and can be used to select either an image or a movie.


- 4.1. Press the **Choose image** to add a media file. This will open the ImageVault user interface. Locate and select the file in ImageVault. Selection can be performed with single click on a media file. Press **Insert** to add the file.



Insert button

Selected item

Insert image



Inserted image

The editor can be initiated using the edit button  to allow the selected image to be edited as described in chapter 3.1.1 above. If an other image is wanted, use New image button to replace the selected image. If the selcted image should not be used, it can be removed using the remove file button .


Once any changes are done the could be saved using the Save buttom.

Tip! Alternative text provides a textual alternative to non-text content in web pages

ImageVault Gallery

The ImageVault Gallery web part is an SharePoint page object that can be added to a page and can be used to select single or multiple images. The ImageVault Gallery object is typically used for an image gallery or a list of files.


4.2.



[Choose files manually](#)

Choose files by filter



Images in ImageVault Gallery could be chosen in two ways, manually or by filter.



Via advanced settings there it is possible to define size for each item in the gallery and set a personal name on actual gallery.


4.2.1. Choose files manually

Choose files manually, opens the ImageVault interface to allow images to be chosen by either using the checkbox or drag to item to batch area. Once selected the items can be inserted to the ImageVault Gallery via Insert button.





Inserted items could be edited, removed one by one or all together. It's also possible to add more items. Edit item is described in chapter 3.1.1 above.

The images in the ImageVault Gallery can be rearranged by simple drag and drop. Press and hold an image and drop it to a new location. The sort order is from left to right where the leftmost image will be the first image in the ImageVault Gallery.




4.2.2. Choose files via filter

Choose files by filter, opens a dialog where it's possible to choose items via creating a filter, i.e. Vault, Category or Metadata. When filter is chosen, number of available items will be presented.



There is no possibility to see or edit items choosed via filter.




Via advanced settings there it is possible to define the size for each item in the gallery and set a personal name on actual gallery.

ImageVault Slideshow

Via ImageVault Slideshow it is easy to define a Slideshow. Content is added in the same way as for ImageVault Gallery, described above.

4.3.



Advanced settings

Via advanced settings there it is possible to define how Slideshow wil be presented.

Random order

If checked items will be presented in random order until all items have been presented once. Default means that the items will be presented in the the sort order selected from left to right where the leftmost image will be the first image in the ImageVault Slideshow.

Slide duration

Time that each item will be presented

Animation speed


Time for change from one item to next

Animation type

Note! Animation type is not available in this version.

5. Define webpart

The size of actual web part could be defined when editor initiated.



Define height and width on web part.


For ImageVault Media will actual picture be in this size.

For ImageVault Gallery will actual gallry be in this size.

For ImageVault Slideshow will actual slide show be in this size.

6. ImageVault interface

The ImageVault user interface consists of 6 main areas, see picture below.



6.1. Main user interface

Interface overview

File display area

All available files are displayed as preview thumbnails in the file display area. The number of visible files will depend on current vault content, current user access rights, search results or category selections.

Import, insert, search and setting area

Use the buttons to import, download, move and categorize files. The search bar will filter which files that are displayed based on a free text search. The insert button will insert files into a cms. The button is only active if ImageVault is connected to a cms.

Category and library area

The categories section displays all available categories in the system. Selecting a category will filter which files that are displayed. The library section displays all vaults available on the server. All vaults might not be visible to all users thanks to user access rights.

Batch operation area

The batch area collects selections of files. It is possible to perform category or metadata batch operations on the files or download all files.

Information/Metadata section

The information and metadata section will display information about a selected file.

Settings area


The settings area holds buttons for adding vaults, modifying categories and sort order. Vaults are described more in chapter 6.1.2 “Vault selection”. More information about categories can be found in chapter 12.4 “Categories”.

The sort order can be toggles between “Newly added first” which will display the most recent files that have been added to the system or “Name by A-Z”. This choice will display the media files sorted by name.

Note! Vaults and categories can only be created by a user with administrative privileges.

6.1.1. Categories

Categories are predefined metadata that can be added to a file. This is one of the fastest way to filter media files, except for search, and should be used as the main navigation method.



Categories


A category can have 2 sub levels. It is possible to filter files that have been tagged with a specific category keyword.

Categories should be used to group files that share a common property. Multiple categories can be combined to further narrow the search result.


6.1.2. Vault selection

Select a vault by activating the library tab and select the vault. All images in the selected vault will be displayed.

The current vaults name will be displayed at the top of the file display area.




To display the contents of all vaults select **All items**. This will display all files currently in the system that the user has access to. This is also the default setting when a user logs into the system.



A search will be limited to the current vault. See section 5 for more info.

Note! Vaults can have different user access. All vaults will not be visible to all users.

6.1.3. File preview



The magnifying glass will display an enlarged preview of the file. A preview can also be initiated by a double clicking the image icon. For video there will be an option to play actual video. The check box selects the file for batch operations, see section 7 for more info.


Note! A preview file type icon will be displayed if the file format is not supported by ImageVault or a third party plug-in.

6.1.4. File information and metadata

File information and metadata for a selected file will be displayed in the information area. File information will typically be image height and width, date of upload and current vault name.

File metadata can be metadata manually added by a user during upload. The administrator will setup which fields and what information that should be added during a file upload. Metadata fields can be customized for each vault, meaning that some vaults can have more metadata fields that need to be filled out and others fewer.

It is also possible to harvest automatic metadata. Digital images or media files normally contain metadata. This can be ITPC or EXIF data, i.e focal length of the lens used, serial number of the camera, GPS data. ImageVault can read this type of metadata during upload, without any user interaction, and save the data as file metadata.



The screenshot illustrates the dual nature of file management in ImageVault. On the left, the 'INFORMATION' tab displays basic file details: BOAT.JPG, Vault Public, Date uploaded 2012-09-11 10:41:59, Uploaded by epidmin, Categories Demo, Image Width 2048, and ImageHeight 1536. On the right, the 'METADATA' tab shows more detailed information: User defined, Map 0221, and a comprehensive list of EXIF and camera metadata.

INFORMATION

METADATA

BOAT.JPG

Vault Public
Date uploaded 2012-09-11 10:41:59
Uploaded by epidmin
Categories Demo
Image Width 2048
ImageHeight 1536

User defined

Map 0221


Exif

Date Time 2011:05:20 16:00:51
Date Time Original 2011:05:20 16:00:51
Create Date 2011:05:20 16:00:51
Modify Date 2011:05:20 16:00:51
Make OLYMPUS
Model u810/S810
Software Version 1.0

File information and metadata

7. Importing files

Import files by pressing the **Import files...** button. This will open the import files guide.




Import file button

Upload

7.1.

Import files



Vault selection list

From: My computer

To: Demouser

Select files
Add files to the upload queue and click the start button.

Filename Size Status

Drag files here.

Add files Start upload 0 b 0%

Video files will be stored in the ImageVault Video Cloud, which is currently using 63 % of its storage capacity.


Organize your uploads... Cancel

Add files button

Import files guide

Select vault based on the target audience for the files by using the vault selection list.

Press the **Add files** button and select files from your local computer or network. Several files can be selected at once by shift-clicking the files in the normal operating system file browser. The files are added to the file selection area. This area will display the file status, where 0% represents that the file has not been uploaded yet and 100% represents that the file is uploaded to the server. The minus sign can be used to cancel the file upload for each the selected file.



File upload

Press the **Start upload** button, once all files are selected, to initiate the file upload. A progress bar will show the file upload status during upload. All files status counters should change to 100% once the file upload is complete.

Tip! Browsers supporting HTML 5 allow you to drag and drop files as a complement to the “Add files” button.

Organizing files

Press the **Organize your uploads...** button to tag the files with the proper category and metadata.

7.2.

Organize your uploads...

Cancel

Organize uploaded files

Metadata

Catogories

Organize your uploads

For all items Metadata Categories


Title
Field

Description
Beautiful field

Categories
Select categories

Save Cancel and delete files

Save Cancel and delete files



Adding category and metadata

Correct file tagging, meaning adding categories and relevant information in the metadata fields, will make a file easier to find and reused by other users.

Tip! Taking the extra time during upload to add the correct properties to a file will make a huge difference when the system holds several hundred or thousands of files.

Organize your files

For all items **Metadata** Categories

Save **Cancel**

Beskrivning Yellow flowers	Categories Nature
Name Tulips	
	Sökord

Beskrivning Flowers	Categories 3 categories selected
Name Flower and bee	
	Sökord

Upload list

Multiple files upload list

The Organize upload page can be used in several ways. It is possible to add metadata and categories to all files listed in the upload list at once by using the menu buttons **Metadata** and **Categories** at the top of the page, rather than adding the information to one file at a time.

Organize your uploads

For all items **Metadata** Categories

Save Cancel and delete files

Title	Categories
	Select categories
Description	

Save Cancel and delete files

Organize upload

If an individual file needs specific information, it is easy to change this in the upload list. Adding metadata and category information to all files simultaneously during import is a time saver, since common properties can be added to all files and then fine-tuned for some of the uploaded files, if needed.


Press **Save** to complete the upload or **Cancel and delete** to cancel the upload.

Note! Depending on the setup, certain metadata fields might be mandatory and must be filled out prior to completing the upload.

Note! Fields that should be considered to be metadata and categories are setup and maintained by the administrator.

7.2.1. Altering file information


Metadata, category and other file information can be changed after a file has been uploaded. Select the file by single click in the file preview area and press the **Organize** button.




The organize file dialog will be displayed. Modify the information and press **Save**. Press **Cancel** to abort the modification.

7.2.2. Move a file to a new vault

It is also possible to change which vault a file is stored in. Select the file by single click in the file preview area and press the **Move** button.



This will show a list of available vaults where the user has the rights to store the file.



The organize file dialog will be displayed. Modify the information and press **Save**. Press **Cancel** to abort the modification.


File deletion

To delete a file simply select the file by single click on the file icon in the file display area. Press the **Delete** button located at the top right of the screen.

7.3.

Delete button

A user dialog window is displayed stating that the operation cannot be undone once completed. Press **Delete** to continue or **Cancel** to abort the operation and keep the file.



Delete file user dialog


8. Search

Search enables the user to find files that have been uploaded by other users. Search can be performed either by using free text, category search, vault selection or a combination of the above.

Free text search

The search bar is located at the top of the user interface. Input a search phrase and press enter. The search uses automatic wildcards meaning that a search for the word "field" will also find files tagged with "fields". A free text search is the fastest way to find a specific file if the file properties is known beforehand.

8.1.





Search view

8.2.

Category search

It is also possible to search for files by using the category selection. Select one or more categories. Each selected category search will be presented in the file area. The displayed files will have all selected categories as properties.




Category search

Press the x at the search parameter to remove this item from the search or press **Clear all** to remove all search parameters.

Normal search and category search can be combined. Each search parameter will be listed after each other.

Search scope

8.3.



Vault selector or all items

A search or category selection will be limited to the current vault unless all files are viewed at the same time. Select **All items** in the vault selection area to display all files in the system. A search performed after selecting **All items** will be system wide.


Note! Search will be conducted in the current vault!

9. File download


Files can easily be downloaded and converted to predefined formats.

Download & conversion

Select a file in the file display area by single click and press the Download button.



This will display predefined file conversion settings. Select the one of the displayed formats. The original file format and size can be retained by selecting the Original format.



An operating system file download dialog will be displayed. Select a location where the file should be downloaded.


Note! The administrator can setup additional conversion formats.

10. Share files


Sometimes files need to be shared with users without access to ImageVault.

Create share


Select a file in the file display area by single click and press the Share button.




A list of the available media formats is displayed.



Select the format you want to use for your share. In the next prompt, enter a title for the share and press **Next** to create a link to the files. Press **Cancel** to abort without sharing the files.



Tip! The share title is used for finding and managing the share as well as a heading when the share is presented to the recipient.




The share is now created and the link can be sent to the recipient through, for example, email. Click the **link** to see the result or click **Copy link** to copy the link to the system clipboard.

Close the dialog by clicking **Close this window**.

10.2. View shared files

The resulting page shows preview thumbnails of the files and allows for downloading individual files, in the format that was chosen for the share, or the entire share as a single zip file.



The resulting share

Tip! The download button is displayed when hovering over the thumbnail.

Note! The page that displays shares is a public page and does not require user authentication. Everyone who has access to the link will have access to the shared material.

Note! For shared pages to work for everyone, ImageVault must be reachable over the Internet. This may limit access to shared material, for example when using intranets. Contact your network administrator for more information.

Managing shared files

In the file display area, shared files have an icon on the thumbnail.

10.3.



Shared file

This is to distinguish files that are included in one or more shares. If the file is selected, the View Shares button is shown in the file information area.



INFORMATION **METADATA**

Transport.jpg


View Shares

Id: 20
Vault: Valv B
Date uploaded: 9/2/2014 8:50:02 AM
Uploaded by: epiadmin
Categories:
File Extension: jpg
File Size: 2.82 Mb
Image Width: 3261
Image Height: 2184

[View Shares](#)

View Shares is used to manage current shares.

The default view when managing shares shows all shares for the file that the current logged in user has created.



Industri.jpg is included in the following shares:


My shares All shares

Name	Date	File count	Created by	
Ärendenummer 9968	2014-09-04	8	epiadmin	Copy link
Till reklambyrå	2014-09-02	2	epiadmin	Copy link

[Remove selected shares](#) [Cancel](#)

My shares

Clicking **All shares** will instead show shares for the file by every user.



The screenshot shows a list of shares for the file 'Industri.jpg'. The list includes:

Name	Date	File count	Created by	Action
Årendenummer 9968	2014-09-04	8	epladmin	Copy link
Nyhetsbilder v37	2014-09-02	6	Administrator	Copy link
Till reklambyrå	2014-09-02	2	epladmin	Copy link

All shares

To easier find a specific share, the list can be sorted by clicking on respective column header, e.g. **Name**, **Date**, **File count** or **Created by**. You can also filter the list by entering a search term and clicking **Search**.


Click on the name of the share or the magnifying glass to view the shared files. **Copy link** copies the link to the system clipboard.

10.4. Remove share

When a file no longer needs to be shared the share can be removed.

To remove a share start by selecting a file that is included in the share and click **View Shares**.

Select one or more shares and click **Remove selected shares**. The checkbox in the header row will select all shares.



The screenshot shows a list of shares for the file 'Industri.jpg'. The list includes:

<input checked="" type="checkbox"/>	Name	Date	File count	Created by	Action
<input checked="" type="checkbox"/>	Årendenummer 9968	2014-09-04	8	epladmin	Copy link
<input checked="" type="checkbox"/>	Nyhetsbilder v37	2014-09-02	6	Administrator	Copy link
<input checked="" type="checkbox"/>	Till reklambyrå	2014-09-02	2	epladmin	Copy link

Remove share

Note! Visiting a link to a share that has been removed will display a message that the share no longer exists.


II. Batch operations

To simplify the task of adding properties or downloading large volumes of files it is possible to perform batch operations.


Adding files to a batch

Files can be added for batch operations in several ways. Either use the tick box on the file preview or drag and drop files to the batch area.

II.I.



Files can be added to the batch area at will and stays in the batch area until cleared. Files of interest can be added from consecutive searches or simple vault browsing.



Organize files

Add category properties to the files by pressing the **Organize** button. The same user interface will be displayed as during a file upload with the exception that it is only possible to save or cancel the operation and not cancel and delete.

11.2.

Organize your files

Save Cancel

For all items Metadata Categories

	Beskrivning Yellow flowers	Categories Nature
	Namn Tulips	
	Sökord	

	Beskrivning Flowers	Categories 3 categories selected
	Namn Flower and bee	
	Sökord	

Batch organize

11.3.

Move files


Move the files to a new vault by clicking the **Move** button. This will show a list of available vaults where the user has the rights to store the files. Once a vault is selected the same user interface will be displayed as during organize with the exception that it is only possible to save or cancel the operation and not cancel and delete.

Note! All files in the batch area will be moved to the selected vault.

Clear batch


Clear files from the batch area either by pressing the x at the top left in the thumbnail image in the batch area, or uncheck the tick box in the file display area. All files can be cleared from the batch area by pressing **Clear this batch**.

11.4.



11.4.1. Download files

All files in the batch area can be downloaded at the same time by pressing the **Download** button. Select a suitable conversion method and start the download.




Batch download

The files will be packaged as a zip archive. The system will present the user with a user dialog box. Select where to save the zip archive or open the archive directly.

Note! The administrator can set up additional media formats.


12. Advanced settings

The advanced setting can be accessed by pressing the **Advanced settings** button found top right on the main screen.



Advanced settings

The settings are divided into four areas; global rights, metadata definitions, media formats and categories.



Global rights

The global rights setting tab lists the access rights for all administrators in the system. ImageVault uses three different administrator levels. These are administrator, media format administrator and category administrator. The administrator holds the most privileges and is a super user. The media administrator can only modify or add media formats and the category administrator can only modify or add the categories.

12.1.

Advanced settings		
Global rights	Metadata definitions	Media formats
Categories		
Global Access Rights		
NAME	ACCESS	
User 1	Administrator	Edit
User 2	Administrator	Edit
User 3	Media format administrator, Category administrator	Edit

Global access rights

The administrator can perform all administrative duties. This includes:

- create vaults
- access all vaults
- make other users administrators
- add and modify categories
- add and modify media formats


The category admin can only administer categories, such as create new or modify an existing category. The media format administrator can only modify existing media formats or create new.

The global right tab lists all administrators and their respective rights. Press **Edit** to modify or **Add** to add a new administrator. The user name can be added as a partial username. The system will automatically make a wildcard search based on the added name and present matching users and groups as a dropdown menu.

Advanced settings		
Global rights	Metadata definitions	Media formats
Categories		
Global Access Rights		
NAME	ACCESS	
<input type="text" value="Enter name or group..."/>	<input type="text" value="Administrator"/>	Add
Save	Cancel	

Add or modify user

Press **Add Role** to add a user role. Press **Save** to save the user role.
A user role can be removed by pressing the x next to the user role.



Add and remove roles

ImageVault uses federated identity for users. All users and groups are stored outside of the ImageVault system. Contact your system administrator for more information.


Note! Users and groups cannot be created in ImageVault. They have to be created in the underlying user system.

Metadata definitions

12.2.

Metadata are properties that are associated with a file. The metadata can be information that was added by a digital camera, like what aperture that was used when the image was shot or if the flash was fired or suppressed. Metadata can also be information added by a user like keywords or copyright information.

Metadata definitions are templates that define what metadata tags should be read automatically during file import or what additional metadata information that can be added to a file by the user during upload.



NAME	DESCRIPTION	TYPE	
AltText		Text	Edit
Description		Text	Edit

Metadata

Press **Edit** to modify an existing metadata definition or **Add** to add a new metadata definition. Enter a name and description followed by a data type for the field.

NAME	DESCRIPTION	TYPE
<input type="text"/>	<input type="text"/>	Text <input type="button" value="▼"/>
Add mapping		<input type="checkbox"/> Read only <input type="checkbox"/> Multilingual
<input type="button" value="Save"/>	<input type="button" value="Cancel"/>	

New metadata

The following types are available:

Text	A normal text field with max 250 characters
Date and Time	Date and/or time. The server date and time system will be used.
Number	A numerical value (integer)
True/False	A Boolean value
Long text	A normal text field with a maximum of several thousand characters
Decimal	A numerical value (float)

A metadata definition can be locked by selecting read only. A field can be allowed to contain information in multiple languages by selecting multilingual.

12.2.1. Add mapping

Press **Add** to add a metadata tag to the metadata definition. The system will automatically look for the selected metadata tag during import of a media file and add the value of the tag to the metadata for the file.



Add metadata

Select a metadata tag from the list and press **Add** to add the metadata.

It is possible to add multiple metadata tags, but the first tag that is found within the media file will be added to the metadata for the file. The picture below shows an example with multiple tags. The system will not look for the brightness tag if the aperture tag is found.



Multiple metadata tags

Press **Save** to save the new metadata definition or **Cancel** to discard.


Note! Metadata definitions cannot be removed once they are in use by an uploaded file.

Note! The selection of metadata tags available for mapping will increase when new media files, which contain new tags, are uploaded to the system.

Media formats

The media formats tab lists all media formats. It is also possible to see how an existing media format is setup in the list view. A media format can be used to easily make exported media files comply with a standard size or file format.

12.3.



A screenshot of a software window titled "Advanced settings". At the top, there are four tabs: "Global rights", "Metadata definitions", "Media formats" (which is selected and highlighted in blue), and "Categories". Below the tabs, the title "Media formats" is displayed. On the right side of the table, there is a blue "Add" button. The table has columns for NAME, WIDTH, HEIGHT, DPI, RATIO, KEEP RATIO, and FORMAT. Two rows are visible:

NAME	WIDTH	HEIGHT	DPI	RATIO	KEEP RATIO	FORMAT
Super conversion	400				Yes	Original
600x400	600	400		3:2	No	Original (100%)

Media formats

Press **Edit** to modify an existing media format or **Add** to add a new format.



A screenshot of a dialog box titled "Media formats". At the top right is a blue "Add" button. The main area contains a table with columns for NAME, WIDTH, HEIGHT, DPI, RATIO, and KEEP RATIO. There are five empty input fields for NAME, WIDTH, HEIGHT, DPI, and RATIO, and a checked checkbox for KEEP RATIO. To the right of the RATIO field is a dropdown menu set to "Websafe". At the bottom left are "Save" and "Cancel" buttons, and at the bottom right is a "Format" dropdown menu.

Add media format


The following properties are displayed:

Name	The name of the conversion setting
Width	The width of the image
Height	The height of the image
DPI	Dots per inch. The image resolution per square inch
Ratio	The image ratio, width/height
Keep Ratio	Yes or No. This value states if the aspect ratio is free or forced
Format	The file format of the converted file
Compression	The compression ratio. This field is only used if the file format is jpeg or websafe

See examples below:


An example conversion format called “600*400” has the following settings:
Width=600, Height=400, Ratio=3:2, Keep Ratio=No, Format=jpeg (80%)

An image with the size 800*600 pixels will first be cropped according to the ratio setting 3:2. This means that the image height is cropped to 533 pixels. The image is then resized to the size settings width 600 pixels and height 400 pixels and converted to jpeg with the image quality set to 80%.



Another example format called “Web” has the following settings:
Width=300, Ratio=1:1, Keep Ratio=Yes, Format=png


An image with the size 800*600 pixels will first be cropped according to the ratio setting 1:1. This means that the image height and width is cropped to 600 pixels respectively. The image is then resized to the size settings width 300 pixels and height 300. The height export value is automatically set to 300 to enforce the keep ratio setting of 1:1 and the image is converted to png.



The ratio setting will supersede the keep ratio setting if both settings are added.

The available file formats are:

Websafe	The websafe format setting will keep the original format for a file if it is jpeg, png or gif. Other formats, i.e. Photoshop, will be converted to jpeg or png. A CMYK file will be exported as RGB.
Jpeg	The file is converted to jpeg
Tiff	The file is converted to tiff
PNG	The file is converted to png
GIF	The file is converted to gif
Original	The file retains the same file format it was originally uploaded with



File formats

The image compression value is entered as a value 0-100 (%). A high value will produce a high quality image, often very close to the original image, but also a larger file size. A small value will produce a small file size, but might lead a low quality image due to compression artefacts.


Note! It is not possible to edit or delete a media format once a media file has been published using this format.

Categories

The categories tab displays all categories. New categories can also be added by pressing the plus sign below each category column.


Sub categories will only be visible if the main category is selected.

12.4.



12.4.1. Rename or delete a category

Select a main category by clicking on the category name. The category will become highlighted. Either press the x to delete the category or press the page symbol to edit the name. Change the name and commit the change by pressing the check mark symbol. Cancel the operation by pressing the x.




A warning will alert the user prior to deleting a category that is in use.

12.4.2. Add main or sub level category

Press the main category plus sign to create a main category. Create a second level sub category by selecting a main category and then press the second level sub category plus sign. Select the second level sub category and press the plus sign for the third sub category level to create categories in the third and last level.

12.4.3. Add a category from the main user interface

Categories can also be added by pressing the plus sign at the bottom left side of the main page.



Select **Category**. This will open the categories tab in the advanced settings.

It is also possible to add categories on the fly during import.

Organize your uploads



Cancel and delete files

For all items  



Title

Description

Categories


Business
► Animals
► Food
► Technology
 Nature

 Select categories...

 Cancel and delete files

Add category

Add category

Press the plus sign at the bottom of the category list. This opens the category settings dialog described previously in this chapter. Add a new category, close the settings dialog and select the new category.


13. Vault administration

All users with sufficient privileges can add or modify vaults.

Add vault


Add a new vault by pressing the plus sign on the bottom left side of the main page. Press **Vault**.

13.1.



Create new vault


This will start the vault creation guide. Start by giving the vault a name and a description.



A screenshot of the "Create new vault" dialog box. It has three tabs at the top: "General", "Access rights", and "Metadata definitions". The "General" tab is selected. It contains two input fields: "Name" and "Description", both with placeholder text. At the bottom right, there is a blue "Save and close" button.

Vault general settings

Switch to the second tab to add access rights. Add other users or groups to grant them access rights.



Vault access rights

The user or group name can be added as a partial name. The system will automatically make a wildcard search based on the added name and present matching users or groups as a dropdown menu.

Select a suitable access right in the dropdown menu.

Who has access		REMOVE
NAME	ACCESS RIGHTS	
User	✓ FullControl	Remove


Add user

The following settings are available:

None	No access
View	See content, but not add
Contribute	Upload content, delete content and modify metadata
FullControl	Upload content, delete content, modify metadata and modify vault settings

It is possible to remove a user by pressing the Remove link.

Switch to the third tab to modify metadata definition settings for the vault.



Vault metadata settings


Select metadata definition that will be used for this vault. Tick the checkbox to the left of the metadata to active the metadata. It is also possible to force the metadata definition by ticking the checkbox to the right of the metadata. This will make the selected metadata required, meaning that the user must add this information during upload.

Create the vault by pressing the button **Save and close**.


Modify Vault

Select an existing vault in the vault list. Press the cogwheel symbol located at the bottom left of the screen.


13.2.



This will open the vault settings.




Modify the vault name or description. Proceed to the next tab to make more modifications.



NAME	ACCESS RIGHTS	REMOVE
User	FullControl	Remove

Vault access rights

Add or remove users or modify access rights.
Proceed to the last tab to modify metadata.



NAME	DESCRIPTION	TYPE	REQUIRED
<input type="checkbox"/> AltText		String	<input type="checkbox"/>
<input checked="" type="checkbox"/> Number of downloads		Integer	<input type="checkbox"/>
<input type="checkbox"/> Description		LongString	<input type="checkbox"/>
<input type="checkbox"/> Favourite		Boolean	<input type="checkbox"/>
<input checked="" type="checkbox"/> Photographer		String	<input type="checkbox"/>
<input checked="" type="checkbox"/> Name		String	<input type="checkbox"/>

Vault metadata


Select or unselect vault metadata by using the checkbox located to the left of the metadata definition.

Press **Save and close** to commit the vault modification.

A vault can be deleted by pressing the **Delete this vault** button. All vault content will also be deleted.

14. Signing out from ImageVault

To sign out from ImageVault you have to press the **Sign out** button.



Sign out from ImageVault

Note! If you sign out from SharePoint you will not be automatically logged out from ImageVault.


15. Video

Note! Video is an additional functionality, have to be ordered separately.

Upload video

Video will be handled in the same way as other files regarding selection and initiation of upload.


- 15.1. The difference is that video is stored, converted and streamed from the ImageVault video cloud. This is done automatically and is not shown to the editor with the exception that during the time a video is uploaded or a conversion is in progress a temporary video icon replace actual thumbnail and preview will present temporary video clip as below.



Video editor

If the entire video should not be published it is possible to select a part of the video by setting the start and stop time. This will create a clip containing only the selected part of actual video before it is published. Press the edit symbol  to initiate the editor.

15.2.



Click and hold the slider and adjust start and stop value until the desired part of the video clip is chosen. Finetune by clicking on the arrows for start/stop. Use the preivew slider to view apart of the clip. Numbers show start, stop, clip length and original lenght presented in seconds. When done, press OK and a new clip with the edited content will be created, see chapter 14.1 above.

Note! Create the new video could take some time, based on size and performance.